


mater



Considering the planet,
its resources and its people.

@materdesign

www.materdesign.com

Ray Pendant, Small

Designed by PEDERJESSEN

Thank you for purchasing the Ray Pendant

Ray Pendant, Small

FSC® certified oak wood



Designed by
PEDERJESSEN

Dimensions
Ø 12 cm / Ø 4.7"

Weight
1 kg / 2.2 lbs

Cord length
2 m / 78"

Canopy
Included

Materials
Solid oak wood, FSC® certified.
Steel, powder-coate.

Colours
Black / White

Light Source
GU9, max 5W LED. Bulb not
included.

Certifications
CE  

Maintenance guide

Wood

For daily care it is recommended to dust the pendant with a soft, dry cloth. Lacquered and stained wood can be cleaned with a soft cloth wrung in a mild solution of lukewarm water and a universal cleaning detergent. Always follow the wood grains and always dry with a soft dry cloth immediately afterwards.

Avoid use of abrasive and aggressive cleaning detergents as this will damage the surface of the lacquered or stained wood. Avoid placing wooden furniture in direct sunlight, excessive heat or humidity.


Steel

For daily care of steel part use a soft, dry cloth.

Safety precautions

The lamp is only intended for interior use. Consult a professionally qualified electrician if in any doubt. Before starting the installation, disconnect the power supply by turning off the circuit breaker or by removing the fuse at the power off. Using the light switch is not sufficient to prevent electrical shock.


Components



How to install the lamp


1

Ensure power supply is turned off. Locate the supply cable and ensure it is ready to be fitted to the white plastic connection box. Mount a hook securely in the ceiling, where you want to mount the lamp.




2

Slide down the canopy, so the pendant cable is free to operate.




3

Use the connection box, to assemble the wires from the pendant and the wires from the power supply. Then close the connection box.




4

Place the ring on the connection box and on the cord onto the hook that is mounted to the ceiling. Push the canopy up to the ceiling.




5

Remove the wooden shade. Install the light bulb and remember to use the listed light source.




6

Now you can enjoy your Ray pendant.



mater



Considering the planet,
its resources and its people.

@materdesign

www.materdesign.com

Ray Pendant, Medium

Designed by PEDERJESSEN

Thank you for purchasing the Ray Pendant

Ray Pendant, Medium

FSC® certified oak wood



Designed by
PEDERJESSEN

Dimensions
Ø 15 cm / Ø 5.9"

Weight
2 kg / 4.4 lbs

Cord length
2 m / 78"

Canopy
Included

Materials
Solid oak wood, FSC® certified.
Steel, powder-coate.

Colours
Black / White

Light Source
GU9, max 5W LED. Bulb not
included.

Certifications
CE  

Maintenance guide

Wood

For daily care it is recommended to dust the pendant with a soft, dry cloth. Lacquered and stained wood can be cleaned with a soft cloth wrung in a mild solution of lukewarm water and a universal cleaning detergent. Always follow the wood grains and always dry with a soft dry cloth immediately afterwards.

Avoid use of abrasive and aggressive cleaning detergents as this will damage the surface of the lacquered or stained wood. Avoid placing wooden furniture in direct sunlight, excessive heat or humidity.


Steel

For daily care of steel part use a soft, dry cloth.

Safety precautions

The lamp is only intended for interior use. Consult a professionally qualified electrician if in any doubt. Before starting the installation, disconnect the power supply by turning off the circuit breaker or by removing the fuse at the power off. Using the light switch is not sufficient to prevent electrical shock.


Components



How to install the lamp


1

Ensure power supply is turned off. Locate the supply cable and ensure it is ready to be fitted to the white plastic connection box. Mount a hook securely in the ceiling, where you want to mount the lamp.




2

Slide down the canopy, so the pendant cable is free to operate.




3

Use the connection box, to assemble the wires from the pendant and the wires from the power supply. Then close the connection box.




4

Place the ring on the connection box and on the cord onto the hook that is mounted to the ceiling. Push the canopy up to the ceiling.



5

Remove the wooden shade. Install the light bulb and remember to use the listed light source.



6

Now you can enjoy your Ray pendant.

